



## DETAILS MAKE THE DIFFERENCE

Cleaning your vehicle's surface is not enough for a perfect wash. For an exceptional finish, some details do make a huge difference. For that reason, ISTOBAL offers you a wide range of accessories designed to meet your every need, from the professional interior cleaning to the perfect tyre pumping, ensuring complete care and maintenance.





## Models 4AA1000 / 4AA2000


### General features

- > Robust
- > Reliable
- > Low maintenance

Detail of internal turbine


### Main features

- > Customized top cover
- > Structure in AISI 304 stainless steel or painted in a choice of colours
- > Wide range of payment systems: coins, tokens, cards, chip/proximity, or a combination
- > External display with remaining time and service counter
- > 4 polyester filter sleeves with external filter shaker
- > 5 or 10 m suction hose
- > IW-Manager software (integrated control)



### Technical specifications

- > Turbine vacuum pump, 1,1 kW (single phase), 1,75 kW and 2,2 kW
- > Maximum suction: 3.000 mm H<sub>2</sub>O
- > Maximum flow rate: 330 m<sup>3</sup>/h
- > Filtering surface: 4 x 2.600 cm<sup>2</sup> = 10.400 cm<sup>2</sup>
- > Tank capacity: 36 l



## Model 4AA0000

### General features


- > Simple
- > Effective
- > Functional

### Main features

- > AISI 304 stainless steel fairing
- > 2 polyester filter sleeves with internal filter shaker
- > Token or coin basic payment system
- > Service counter
- > 5 or 10 m suction hose

### Technical specifications

- > 2 by-pass motors, 1 kW (230V)
- > Maximum suction: 2.200 mm H<sub>2</sub>O
- > Maximum flow rate: 400 m<sup>3</sup>/h
- > Filtering surface: 2 x 2.600 cm<sup>2</sup> = 5.200 cm<sup>2</sup>
- > Tank capacity: 27 l



## MORE OPTIONS



### PAYMENT SYSTEMS

Payment systems with external digital or LED with remaining time display, high security cash safe systems, mechanical or electronic coin validator, chip or proximity cards.



### SPRING BRACKET

A functional and comfortable option to facilitate the use of the vacuum hose. It prevents the hose avoiding dirt and risk of breakage by car crushing.



### LABELS

Make your vacuum more attractive with adhesives and vinyls.



### IW-MANAGER

New software designed for total remote and local management of all the units in your wash facility.

## Model 4LA0000

### General features


- > Design
- > Effective
- > Functional

### Main features

- > AISI 304 stainless steel structure
- > Semi-automatic to better remove stubborn dirt from the mat
- > Wash/dry selector for user to choose
- > Mats up to 80 cm. All vehicle mats covered
- > Token or coin basic payment system. and service counter
- > Antibacterial disinfectant and anti-frost options can be added

### Technical specifications

- > Power supply voltage: 380 V
- > Blowing pump: 1 kW
- > Usable brush width: 80 cm



## Model 4LA1000

### General features


- > Automatic
- > Clean
- > Robust

### Main features

- > AISI 304 stainless steel structure
- > Automatic conveyor system with self-cleaning cycle
- > Two brushing rollers and two special drying rollers
- > Dry or wet clean selector, for user to choose
- > Display with time and service counter
- > Antibacterial disinfectant can be added

### Technical specifications

- > Power supply voltage: 380 V
- > Usable brush width: 54 cm



## ANALOGIC

### Model 4VA0000

#### General features


- > Accurate
- > User-friendly
- > Design

#### Main features

- > AISI 304 stainless steel stand or fairing
- > Large, precise and easy-to-read pressure gage (compliant with EC directives)
- > Air only, or air and water
- > Air and water automatic hose reels or helicoidal hoses
- > Reinforced tyre valve
- > Payment system is optional

#### Technical specifications

- > Pressure range: 0-10 bar/ 0-145 psi
- > Reading accuracy: 0,1 bar/2 psi
- > Hose length: 10 m (hose reels)  
7 m (helicoidal hose)



## DIGITAL

### Model 4VA1000

#### General features


- > Accuracy
- > Reliability
- > Simplicity

#### Main features

- > AISI 304 stainless steel structure
- > Clear and accurate digital LCD pressure display (compliant with EC directives)
- > Sounder goes off when right pressure is reached.
- > Air and water automatic hose reels
- > Wide range of payment systems: coins, tokens, cards, chip/proximity, or a combination.
- > Dual-nozzle tyre valve
- > Possibility of including internal compressor (direct type or with tank)

#### Technical specifications

- > Power supply voltage: 230 V
- > Pressure range: 0,3-10 bar/ 4-145 psi
- > Reading accuracy: <0,08 bar/<1,16 psi
- > Hose length: 10 m



### BENEFITS OF CORRECT TYRE PRESSURE

- + Safety
- Fuel consumption / - Tyre wear less




## RUG BEATER

### Model 4049100

#### Main features

Galvanised steel grate with anti-rust protection, stainless steel fairing and 60 litre dust box with lock. Fixed on floor by four screws.



### Model 4049000

#### Main features

Curved tube, 60 mm hot-dip galvanised steel for rust protection. Fixed on floor by four screws.



## OPTIONAL EXTRAS



Sound and thermal insulation



Tyre valves



Heater



Compressors



Product dispenser


## VINYLS

Perfect to give a different look to your washing area.



# Accessories

V. 09/2013 - 6CVAB10



## ISTOBAL, S.A.

Avda. Conde del Serrallo, 10  
46250 L'Alcúdia (Valencia) Spain

T +34 962997940 • F +34 962997991

istobal@istobal.com • [www.istobal.com](http://www.istobal.com)

